

INDEX MAPS.

T.13N R.1W 2nd Mer.

| | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 426 | | 426 | | 426 | | 426 | | 425 | | 425 | |
| 428 | 6 | 453 | 5 | 448 | 4 | 443 | 3 | 438 | 2 | 433 | 1 | 425 |
| | 453 | | 452 | | 448 | | 443 | | 438 | | 433 | |
| 428 | 7 | 452 | 8 | 447 | 9 | 443 | 10 | 437 | 11 | 432 | 12 | 424 |
| | 454 | | 451 | | 447 | | 442 | | 437 | | 432 | |
| 428 | 18 | 451 | 17 | 447 | 16 | 442 | 15 | 436 | 14 | 431 | 13 | 424 |
| | 454 | | 451 | | 446 | | 441 | | 436 | | 431 | |
| 427 | 19 | 450 | 20 | 446 | 21 | 441 | 22 | 436 | 23 | 431 | 24 | 424 |
| | 454 | | 450 | | 445 | | 440 | | 435 | | 430 | |
| 427 | 30 | 449 | 29 | 445 | 28 | 440 | 27 | 435 | 26 | 430 | 25 | 423 |
| | 455 | | 449 | | 444 | | 439 | | 434 | | 429 | |
| 427 | 31 | 449 | 32 | 444 | 33 | 438 | 34 | 434 | 35 | 429 | 36 | 423 |
| | 422 | | 422 | | 422 | | 421 | | 421 | | 421 | |

T.14N R.1W 2nd Mer.

| | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 463 | | 462 | | 462 | | 461 | | 461 | | 461 | |
| 465 | 6 | 488 | 5 | 482 | 4 | 478 | 3 | 474 | 2 | 469 | 1 | 460 |
| | 488 | | 487 | | 482 | | 477 | | 473 | | 469 | |
| 464 | 7 | 487 | 8 | 481 | 9 | 477 | 10 | 473 | 11 | 468 | 12 | 460 |
| | 486 | | 486 | | 481 | | 477 | | 472 | | 468 | |
| 464 | 18 | 486 | 17 | 481 | 16 | 476 | 15 | 472 | 14 | 467 | 13 | 460 |
| | 485 | | 485 | | 480 | | 476 | | 471 | | 467 | |
| 463 | 19 | 485 | 20 | 480 | 21 | 475 | 22 | 471 | 23 | 467 | 24 | 459 |
| | 484 | | 484 | | 479 | | 475 | | 471 | | 466 | |
| 463 | 30 | 484 | 29 | 479 | 28 | 475 | 27 | 470 | 26 | 466 | 25 | 459 |
| | 483 | | 483 | | 478 | | 474 | | 470 | | 465 | |
| 463 | 31 | 482 | 32 | 478 | 33 | 474 | 34 | 470 | 35 | 465 | 36 | 458 |
| | 458 | | 458 | | 457 | | 457 | | 457 | | 457 | |

The figures on the lines refer to the page.

Township N. 13 North of Range N. 1 West 2nd Mer.

Ch. Mer.

South Boundary

June 5th 1819.

Var. 5° 40'

West On the S. Boundary of Sec. 36 T. N. 13 N. R. N. 1 W. 2nd Mer

40.00 Set a post for the cor. to 1/4 sec. from which a
Belt 18 in. dia. bears N 20 E. 6 miles dist; to
Belt 18 " " " S 29 E. 31 " "

40.00 To a Brook 10 miles from house S. E.

80.00 Set a post for the cor. to Sec. 35, T. N. 13 N. R. N. 1 W. from which a

Belt 12 in. dia. bears N 38 E. 20 miles dist; to
Logan's Corn " S 24 W 37 " "
Sandy timber &c. same.

West On the South Boundary of Sec. 35. T. N. 13 N. R. N. 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Belt 12 in. dia. bears N 66 E. 10 miles dist; to
Oak 14 " " " S 38 W 8 " "

80.00 Set a post for the cor. to Sec. 34 & 35. T. N. 13 N. R. N. 1 W. from which a

Belt 14 in. dia. bears S 33 W. 20 miles dist; to
Do 8 " " " N 53 E 37 " "
Sandy bog bottom under Killy; Timber Belt
Sugar, Oak, & Hickory

West On the South Boundary of Sec. 34. T. N. 13 N. R. N. 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Belt 18 in. dia. bears N 65 E. 42 miles dist; to
Ironwood 9 " " " N 78 W 29 " "

40.00 To a small Brook N. W.

80.00 Set a post for the cor. to Sec. 33 & 34. T. N. 13 N. R. N. 1 W. from which a

Ironwood 8 in. dia. bears N 31 E. 11 miles dist; to
Belt 8 " " " S 52 W 12 1/2 " "

T. No 13. N.R. No 17. D^{no} Mr. (Ind^a)

Land some what Broken middling good
for farming; Timber Buck, Sugar, Oak,
Hickory, Poplar, &c.

West On the South Boundary of sec. 33. T. No 13 N.
R. No 17.

40.00 Set apart for the cor. to 1/4 sec. from which a
Sugar 9 in dia. tree N 67° 6' W 6 miles dist; to
Buck 8 " " " N 65° E. 20 " "

47.00 To a Brook 60 miles min; hence of

76.00 " " " 15 " " " "

80.00 Set apart for the cor. to sec. 32, 33. T. No 13.
N.R. No 17. from which a

Sugar 12 in dia. tree N 27° E. 6 miles dist; to
do 10 " " " S 37° W 25 " "

Land broken and Hilby Timber same as
on the last mile; West for middling farm-
ing land;

West On the South Boundary of sec. 32. T. No 13 N.
R. No 17.

4.00 To a Brook 12 miles dist; hence N.E.

7.00 " " do 12 " " " S.E.

40.00 Set apart for the cor. to 1/4 sec. from which a
Buck. 9 in. dia. tree N 87° 15' W 15 miles dist; to
Poplar 5 " " " N 67° 27' " "

60.00 To a Brook 6 miles dist; hence N.W.

80.00 To a Brook 10 in dia. which stands for the
cor to sec. 31. & 32. T. No 13 N.R. No 17.

Land nothing middling good farming;
Timber same as on the last mile

West On the South Boundary of sec. 31. T. No 13 N.
R. No 17.

40.00 Set apart for the cor. to 1/4 sec. from which a
Buck 18 in. dia. tree N 44° E. 29 miles dist; to

T. N^o 13. N.R. N^o 17. 2nd Mr. In a^c

- Tree 16 in. dia. bears N 46 W. 18 miles dist;
 68.05. Into enter the Range line 48 miles South of the
 temporary post set for the cor. to sec. 1. h. 31. & 36
 T. N^o 12. 12 & 13. 13 N. W. 182 W. made set a
 set apart at the intersection from which a
 Tree 10 in. dia bears N 92 E. 19 miles dist; & a
 Maple 16 " " " N 61 W 13 " "
 Lands similar W. rather wet.

East Boundary

- North On the 2nd Mr. in the East Boundary of sec. 36
 T. N^o 13 N.R. N^o 17
 40.00 To a Brook 12 miles wide; corner S.E.
 40.00 Set a post for the cor. to 1/4 from which a
 Cypress 12 in. dia. stands N 60 W. 29.1/2 miles dist
 Sugar 4 " " " N 62 E. 32 " "
 80.00 Set a post for the cor. to sec. 25, & 36. T. N^o 13
 N.R. N^o 17 from which a
 W. Oak 30 in. dia. bears S 26 E. 20 miles dist; to
 W. Oak 12 " " " S 83 W. 21 " "
 Lands Bottom & Heavy; Timber Oak, Bent,
 Hickory

- North On the 2nd Mr. in the East Boundary of sec. 25
 T. N^o 13. N.R. N^o 17.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 30 in. dia. bears S x E. 25 miles dist; to
 Hickory 9 " " " N 27 W 26 " "
 80.00 Set a post for the cor. to sec. 24 & 25. T. N^o 13
 N.R. N^o 17 from which a
 Tree 12 in. dia bears S 77 E. 21 miles dist; to
 Tree 8 " " " S 86 W 15 " "
 Lands South & similar; N. & mudling
 forming lands; rather broken.

June 12th 1819

T. N. 13. N.R. N. 17. 2nd Mer. Ind.

North On the 2nd Mer. on the East Boundary of Sec.

24 T. N. 13. N.R. N. 17

40.00 Set a post for the cor. to 1/4 sec. from which
W. Walnut 14 in. dia. base S44 W. 7 miles dist;
to Hick 9 " " " N22 E 16 " "

80.00 Set a post for the cor. to Sec. 13 & 24 T. N.
13 N.R. N. 17 from which a

Buck 24 in. dia. base S52 E. 8 miles dist; to
Sugar 12 " " " North 27 " "

Land here and good for farming; find
Buck, Sugar, Hick & Ash;

North On the 2nd Mer. on the East Boundary of Sec.
13 T. N. 13. N.R. N. 17.

35.00 To a Brook 20 miles dist; Sec. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 14 in. dia. base S52 W. 11 miles dist; to
do 18 " " " S87 E. 37 " "

80.00 Set a post for the cor. to Sec. 12 & 13. T. N.
13. N.R. N. 17. from which a

Elm 18 in. dia. base S68 E. 26 miles dist; to
Buck 9 " " " N63 W 6 " "

Land here rich & good for farming;

find Buck, Sugar, Hick, Elm, &
Brushy.

North On the 2nd Mer. on the East boundary of Sec.
12. T. N. 13. N.R. N. 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 12 in. dia. base N40 E. 39 miles dist;

do 8 " " " S52 W. 2 " "

80.00 Set a post for the cor. to Sec. 1 & 12 T. N.
13. N.R. N. 17 from which a

Buck 14 in. dia. base S17 E. 9 miles dist; to
do 18 " " " N60 W 29 " "

Land, Ash, timber &c same.

T. N^o 13 N.R. N^o 17. 2nd Mer. (Ind.?)

West On the 2nd Mer. on the East Boundary of sec 1
T. N^o 13 N.R. N^o 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 24 in. dia. bore N 46 W. 6 miles dist; to
Sugar 7 " " " S 13 E. 22 " "

81.00 Set a post for the cor. to sec 26. 31 & 36.
T. N^o 13. 13. & 14. 14. N.R. 1 E. & 17. 2nd
Mer. from which a

Sugar 18 in. dia. bore N 42 E 31 miles dist;
Hackberry 18 " " " S 25 W. 30 " "

Lands soil timber &c same as in the last mile

North Boundary Var. 5° 50'

West On the South Boundary of sec. 36 T. N^o 14 N.
R. N^o 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 18 in. dia. bore N 34 W. 6 miles dist; to
Do 27 " " " S 16 W. 37 " "

44.00 Is a Brook 12 miles wide, bears N.

80.00 Set a post for the cor. to sec. 35. & 36. T. N^o
14 N.R. N^o 17. from which a
Buck 10 in. dia. bore N 5 W. 16 miles dist; to
B Walnut 24 " " " S 60 E. 13 " "

Lands level; made good for farming; Timber
Buck, Sugar, Ash, Elm &c. Part rather wet

West On the South Boundary of sec. 35. T. N^o 14 N.
R. N^o 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 14 in. dia. bore S 9 E. 21 miles dist; to
Do 14 " " " N 65 W. 30 " "

80.00 Set a post for the cor. to sec. 34 & 35. T. N^o
14 N.R. N^o 17. from which a

Buck 24 in. dia. bore N 68 E. 6 miles dist; to
Do 15 " " " S 59 W. 46 " "

Lands similar part rather wet;

T. N^o 13 N.R. N^o 17. 2nd do Mrs. Ind.

West On the South Boundary of Sec. 34. T. N^o 14 N.
R. N^o 17.

40.00 Set a 71 Oak 60 in dia stands for the cor. to 1/4
Sec.

48.00 Set a Birch 10 inches dia; corner S.

80.00 Set a post for the cor. to Sec. 33 & 34. T. N^o 14
N.R. N^o 17. From which a

Bear 20 in. dia bears N 66 W. 28 miles dist.

Do 10 " " " N 41 E. 17 " "

Land is good and good for farming; Timber
same as on the last mile.

West On the South Boundary of Sec. 33. T. N^o 14 N.
R. N^o 17.

40.00 Set a post for the cor. to 1/4 Sec. From which a
Syc 14 in. dia. bears S 28 E. 13 miles dist; to
Bear 9 " " " N 58 W. 18 " "

80.00 Set a post for the cor. to Sec. 32, & 33. T. N^o 14
N.R. N^o 17. From which a

Bear 30 in. dia. bears N 64 E. 15 miles dist. to

Bear 27 " " " S 85 W. 28 " "

Land is same as on the last mile.

West On the South Boundary of Sec. 32. T. N^o 14 N.
R. N^o 17.

40.00 Set a post for the cor. to 1/4 Sec. From which a

Bear 10 in. dia. bears N 67 W. 12 miles dist;

Do 12 " " " S 67 E. 19 " "

80.00 Set a post for the cor. to Sec. 31 & 32. T. N^o
14 N.R. N^o 17. From which a

Bear 18 in. dia. bears N 11 W. 27 miles dist; to

Do 18 " " " S 11 W. 3 " "

Land is same as on the last mile;

West On the S. Boundary, of Sec. 31. T. N^o 14 N.
R. N^o 17.

T. No 13. N.R. No 1 W. 2nd Mer. (Ind.)

- 32.00 Toa Brook 8 miles wide; Course N.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Buck 9 m. dia. bears North 11 miles dist; to
 Ho 24 " " South 7 " "
 68.08 Intersection the N. P.S. line 90 miles South of the
 Temp. & Swampy Cor.

West Boundary

June 13. 1819. Var. 6.15'

- North On the East Boundary of sec. 36 T. No 13 N.R.
 No 2 W.
 10.00 Toa Brook 15 miles wide; Course N.W.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Buck 18 m. dia. bears N 11 E. 45 miles dist; to
 Ho 10 " " " N 45 W. 12 " "
 80.00 Set apart for the cor. to Cor. 25, 136. T. No 13.
 N.R. No 2 W. from which a
 Maple. 14 m. dia. bears N 65 E. 5 miles dist; to
 W. Oak 18 " " " N 84 W 12 " "
 Sand bar. & Swampy & wet.

North On the East Boundary of sec. 25, T. No 13 N.R.
 No 2 W.

- 40.00 Set apart for the cor. to 1/4 sec. from which a
 B. Oak 8 m. dia. bears N 65 E 25 miles dist; to
 Buck 8 " " " N 67 W. 1 " "
 80.00 Set apart for the cor. to Cor. 24 & 25, T. No
 13 N.R. No 2 W. from which a
 Buck 9 m. dia. bears S 31 E. 11 miles dist; to
 Ho 10 " " " N 57 W 37 " "
 Sand bar; part meadow & Swampy & part
 good farming land; Timber; Buck Oak,
 Hickory and Elm.

North On the East Boundary of sec. 24, T. No 13 N.
 R. No 2 W.

T. No 13. N.R. No 17. 2nd do. Mrs. (S. d.)

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Elm - in. dia. bears N. 52 W. 6 links dist;
 Do 12 " " " S 31 E. 41 " "
 80.00 Set apart for the cor. to Sec. 13 & 24 T. No
 13. N.R. No 2 W. from which a
 Buck 18 in. dia bears S 29 E. 34 links dist;
 Do 12 " " " N 21 W. 15 " "
 Same place.

North On the East Boundary of Sec. 13. T. No 13 N.
 R. No 2 W.

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 C.B. Oak 140 in. dia bears N 18 E. 10 links dist
 Buck 12 " " " N 73 W 30 " "
 80.00 Set apart for the cor. to Sec. 12, 13. T. No
 13. N.R. No 2 W. from which a
 Buck 30 in. dia. bears N 88 E. 7 links dist
 Do 18 " " " S 58 W 29 " "
 Land here rich and good for farming
 Timber Buck, Sugar Syrup & Elm.

North On the East Boundary of Sec. 12 T. No 13 N.
 R. No 2 W.

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 18 in. dia. bears S 20 W. 39 links dist;
 Elm 18 " " " N 24 E. 54 " "
 80.00 Set apart for the cor. to Sec. 1 & 12. T. No 13.
 N.R. No 2 W. from which a
 Buck 18 in. dia. bears S 25 E. 13 links dist
 Logwood 3 " " " N 20 W 6 " "
 Same place

North On the East Boundary of Sec. 1. T. No 13 N.R.
 No 2 W.

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 20 in. dia. bears S 15 E. 32 links dist;

T. N. 13 N.R. N. 1 W. 2nd Mer. Ind.

- Hickory 5 in. dia. base S 87 W. 16 miles dist;
 70.00 To a Buck 6 miles side; course N.W.
 80.00 To the township township cor.
 79.00 To the true cor. To Town 13. 13 + 14 14. N.
 N. N. 1 + 2 W. Bearing 3 to this corner
 Buck 30 in. dia. base S 27 E. 13 miles dist;
 24 " " " N 29 W. 80. " "
-

Subdivisions

- North Between Sec. 35, 136 T. N. 13, N.R. N. 1 W.
 Var. 6° 10' W.
 1.77 To a Buck 14 in. dia. stands in the line.
 30.16 " " Hickory 22 " " " " "
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Dogwood 6 in. dia. base N 72 W. 17 miles dist;
 Buck 6 " " " S 81 E. 26 " "
 45.80 To a Red Oak 10 in. dia. stands in the line.
 66.61 " " Buck 12 " " " " "
 80.00 Set apart for the cor. to Sec. 25, 26, 35, 136.
 from which a Hickory 24 in. dia. base S 27 W.
 11 miles dist; to a Buck 10 " " " N 76 E.
 25 " "
 Lands broken; Timber Buck, Dogwood & Oak
-

- East On a Runway line between Sec. 25, 136 T. N.
 13 N.R. N. 1 W.
 40.00 Set a township apart for the cor. to 1/4 sec.
 80.30 Into which the 2nd Mer. 10 miles N. of the
 first set for the cor. to Sec. 25, 136 T. N. 13
 N.R. N. 1 W. Lands very poor & broken
 Timber Oak, Hickory and Buck Bottom of
 State line.
-

- West On the true line between Sec. 25, 136 T. N. 13 N.
 N. N. 1 W.

T. N. 13 N.R. N. 1 W. 2nd Mer. Ind.

- 41.15 Set the temp. post at the av. dist on the true line for the cor. to 1/4 sec. from which a Maple 24 in. dia. bears N 1st 21 miles dist; Height 9 " " " N 82 E. 35 "
- 80.30 To the post set for the cor. to sec. 25, 26, 35, 36

- North Between Sec. 24 & 25. T. N. 13 N.R. N. 1 W.
- 10.43 To a Poplar 36 in. dia. stands in the line.
- 37.77 " " Buck 24 " " " " " "
- 40.00 Set a post for the cor. to 1/4 sec. from which a Buck 28 in. dia. bears N 2 1/2 E 29 miles dist; Red Oak 36 " " " S 8 E. 6 " "
- 43.75 To a Buck 6 in. dia. stands in the line.
- 78.50 " " " 40 " " " " " "
- 80.00 Set a post for the cor. to sec. 23, 24, 25, 26 from which a Buck 14 in. dia. bears N 72 E 21 miles dist; Red Oak 13 " " " S 73 W 26 " " " Sandy level and thin.
- Timber Buck, Oak, Hickory, some Poplar and Ash, and a few Spruce and other Grubs

- East On a random line between sec. 24 & 25. T. N. 13 N.R. N. 1 W.
- 40.00 Set a temp. post for the cor. to 1/4 sec.
- 80.21 Enter into the 2nd Mer. 5 miles N. of the post set for the cor. to sec. 24 & 25. T. N. 13 N.R. N. 1 W. Sandy broken prairie.
- Timber Buck, Oak, Ash, & Poplar.
-
- West On the true line between sec. 24 & 25. T. N. 13 N.R. N. 1 W.
- 40.10 1/2 Set the temp. post at the av. dist on the true line for the cor. to 1/4 sec. from which a Poplar 12 in. dia. bears N 15 E. 19 miles dist; Height 14 " " " N 30 E. 23 " "
- 80.21 To the post set for the cor. to sec. 23, 24, 25, 26.

T N^o 13 N.R. N^o 17. 2nd Mer. In a^o

- 36.50 To a Poplar 48 in dia stands in the line.
 40.00 Set apart for the cor to $\frac{1}{4}$ sec. from which a
 Elm 9 in. dia bears N 2 $\frac{1}{2}$ W. 23 links dist
 Ash 2 $\frac{1}{2}$ feet " " N 61 E. 3 " "
 51.00 To an Elm 48 in dia stands in the line.
 73.91 " " Sugar 20 " " " " "
 80.00 Set apart for the cor to sec. 1, 2, 11, 12 from
 Lynn 16 in dia bears N 2 $\frac{1}{2}$ W. 25 links dist;
 do 18 " " " N 51 E. 35 " "
 Lands rich and level; Timber Sugar, Wal-
 nut; Beech, Lynn Ash &c

East On a random line between sec. 1 & 2. T N^o 13
 N.R. N^o 17.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.19 Intersect the 2nd Mer. 85 links N. of the
 post. Set for the cor. to sec. 1 & 2 T N^o 13 N.
 R. N^o 17. Lands level and rich; Timber
 Beech, Sugar, Ash, Poplar, Walnut; &
 Lynn, &c (N. of) Spruce.

West On the true line between sec. 1 & 2 T N^o 13 N.
 R. N^o 17.

- 39.59 $\frac{1}{2}$ Set apart for the cor. to $\frac{1}{4}$ sec at the avor.
 post on the true line. from which a
 Ash 19 in dia stands. N 9 W. 20 links dist.
 W. Ash 4 " " " N 87 E. 21. " "
 79.19 To the post cor to sec. 1, 2, 11, 12,

North Between sec. 1 & 2. T N^o 13 N.R. N^o 17.

- 0.47 To a Red Elm 14 in dia stands in the line.
 5.00 To run out land.
 37.50 To a W. Oak 36 in dia stands in the line.
 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 6 in. dia bears N 15 $\frac{1}{2}$ W. 27 links dist
 Hick 10 " " " N 70 E 25 " "

T. No. 13 F.R. No. 17. 2nd. Nov.

- 44.25 To a Syon 24 in. dia stands in the air.
70.50 To a S. Oak 20 " " " " "
80.10 Entered the N. Bound^y off T No 13 N.
R. No 1 W. 80 miles E of the first set for the
err. b. lat. 35, & 36. From N. 14 N R. No 1 W
made made or err on a Bush 32 in dia.
from which a Tree 18 in. dia heard all p W.
28 miles dist; tall o 4 " " " N 72 E
11 " " Sounds heard here & Mt;
Tomb's Bush Sugar, ash; Walnut Hacks
and per summits. 22° Sept.

North Vietnam Ref 34,135 J. No 13. NR. N. 12.

- 9.50 To a Beech 18 in. dia. stands in the line.
38.00 To a Poplar 36 in dia " " " "
40.00 Set apart for the cor. to the sec. from which
Beech 30 in dia leaves S 67 1/2 W. 24 the dist.
B. Hickory 8 " " " N 70 1/2 E 34 " "
48.24 To a Beech 18 in. dia. stands in the line.
52.10 " " Birch 2 inches wider, Corner E.
79.06 To a Hickory 4 in. dia. stands in the line.
80.10 Set apart for the cor. to the sec. 26, 27, 34, & 35 from
which a Dogwoods 3 in dia leave S 53 W. 15 the dist.
and a 4 " " " N 75 E. 13 1/2 " "
Sands 1/2 ft broken sporr. 2nd ft 2nd rate;
Timber Beech, Poplar, Hickory B. Oak, &c.

East on a Remond line between Sep. 26, 1835, T. N. 13
N. R. N. 17.

- 10.00 Toa Brook 1 mile mid; course S.E.
33.25 " " " 2 " " " N.W.
40.00 Set a trap for the cor. to '4 Sec.
45.25 Toa Brook 1 mile mid; course N.
49.00 " " " 2 " " " N.
79.54 Intersected the N.S. line 39 miles S. of the present
set for the cor. to Secs. 25, 26, 35, 36. Same.

T. N. 13. N.R. No 177. 2nd de Mer. (S. a. 1)

Between 2nd de Mer; Timber (Oak, Birch, Poplar, W Oak &c)

West On the true line between Lat. 26 & 35. T. N. 13. N.R. No 177.

39.77 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a
Bearing 24 mi. due S. 22 W. 17 miles dist; to
Do 18 " " " S 39 E. 30. " "

79.54 To the post set for the cor. to Lat. 26, 27, 34, 35

North Between Lat. 22 & 27. T. N. 13. N.R. No 177.

4.50 To a Brook 1 mile wide; corner N. W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Bearing 5 mi. due S. 56 E. 32 miles dist; to
Poplar 11 " " " S 72 W. 22 " "

80.00 Set a post for the cor. to Lat. 22, 23, 26, 27. from
which a bearing 3 mi. due S. 29 E. 17 miles dist;
made a Do 2 " " " N 62 E. 5 " "
Some 2nd de Mer; Timber (Oak, Birch, Poplar, & Poplar).

East On a true line between Lat 26 & 23. T. N. 13. N.R. No 177.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.70 Into section the N. & S line 67 miles South of the
post set for the cor. to Lat. 23, 24, 25, & 26.
Some 2nd de Mer; Timber (Oak, Birch, W. Oak, & Poplar).

West On the true line between Lat. 23, & 26. T. N. 13. N.R. No 177.

39.85 Set the temporary post for the cor. to $\frac{1}{4}$ sec. from
which a Bearing 12 mi. due S. 48 E. 22
miles dist; to Anger 12 " " " S 87 E. 28
" "

I. No. 13. N.R. No. 177. 2nd Mer (S. a.)

79.70 To the Post set for the cor. to Sec. 26, 27, 22, & 23.

North Return Sec. 23 & 22 I. No. 13. N.R. No. 177

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
W. Oak 7 in. dia. bears S83°W. 14 miles dist; & a
Cottonwood 16 " " " S82°E. 12 " " "

70.00 To a Cottonwood 15 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23 from
which a Logwood 2 $\frac{1}{2}$ in. dia. bears N87°W. 12 miles dist
and a Cottonwood 12 " " " N1°E. 8 " " "
Sands Pt. $\frac{1}{2}$ 2nd rate; 2nd $\frac{1}{2}$ poor. Timber
Buck, Poplar, W. Oak, and B. Oak,

East On a Random line between Sec. 14 & 23. I. No. 13.
N.R. No. 177

40.00 Set a temporary Post for the cor. to $\frac{1}{4}$ Sec.

80.00 Intersection the N. & S. line 57 $\frac{1}{2}$ miles South of the
Post set for the cor. to Sec. 13, 14, 23, & 24. Lands 2nd
rate & live; Timber Buck, B. Oak Sugar,
W. Oak, & Poplar. Sept. 21st 1819.

West On the true line between Sec. 14 & 23. I. No. 13. N.
R. No. 177.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. at the arr. dist. on the
true line. from which a

Buck 20 in. dia. bears N29°W. 13 miles dist; & a
Poplar 20 " " " S53°E. 24 " " "

80.00 To the Post set for the cor. to Sec. 14, 15, 22, & 23.

North Return Sec. 14 & 15. I. No. 13. N.R. No. 177.

0.62 To a Red Oak 21 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Buck 15 in. dia. bears N74°E. 42 miles dist; & a
Ls 11 " " " S75°W. 13 " " "

41.60 To a Buck 18 in. dia. stands in the line

71.00 " " " 24 " " " " " "

T. No 13 N.R. No 17. 2nd Mer. (Ind. 9)

80.00 Set a post for the cor. to Sub. 10. 11. 14. & 15 from which
 B. Ash 20 in. dia. bears N 87° 18' miles west; & to
 B. Oak 15 " " " N 55° 16' " "
 Sande R. oak; Timber, Birch, Sugar, Poplar,
 B. Ash, & Hickory

East On a Randam line between Sub. 11. & 14. T. No 13.
 N.R. No 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.13 Enter the N. & S. line at the post set for the cor.
 to Sub. 11. 12. 13. & 14. Sande hard sand R. oak; Timber
 B. Ash, Hickory, Walnut, W. Spruce.

West On the true line between Sub. 11. & 14. T. No 13 N.
 R. No 17.

40.06 1/2 Set the temporary post for the cor. to 1/4 sec. at the aver.
 with the true line. From which a
 Hickory 14 in. dia. stands N 25° 12' miles west; to
 Birch 20 " " " S 55° E. 24 " "

80.13 To the post set for the cor. to Sub. 10. 11. 14. & 15

North Return Sub. 10. & 11. T. No 13 N.R. No 17.

10.00 Enter a swamp.

12.50 To a post Sub. 20 in. dia. stands on the line.

27.50 Left a swamp.

40.00 Set a post for the cor. to 1/4 sec. post from which
 B. Ash 15 in. dia. stands S 11° E 13 1/2 miles west;
 & Birch 7 " " " N 44° 14 1/2 " "

44.89 To a swamp. Ash 10 in. dia. stands on the line

45.00 Enter a swamp.

80.00 To a White Oak 48 in. dia. which stands for the
 cor. to Sub. 2. 3. 10. 11. from which
 N. Hickory 14 in. dia. stands S 30° E. 14 miles west;
 Spruce 6 " " " N 73° E. 48 " "
 Sande Swamp, and ash Timber Spruce, Birch
 and Hickory, White Oak, & B. Ash,

I. N^o 13 N.R. N^o 17. 2nd Mer. Inca

East On a Radium line between Loc. 2. & 11. I. N^o 13
N.R. N^o 17

40.00 Set a temporary post for the cor. to 1/4 sec.

42.00 Entered a Swamp

79.95 Intersected the N & S line 86 miles North of
the post set for the cor. to Loc. 1, 2, 11, 12. Land
here was rich; Timber Poplar, Beech, T.B. Ash,
& Hackberry

West On the true line between Loc. 2. & 11. I. N^o 13.
N.R. N^o 17.

39.97 1/2 Set the temporary post at the corner; on the true
line for the cor. to 1/4 sec. from which a
Beech 14 in. dia. bore S 26 E 21 1/2 miles west;
on Poplar 4 " " " N 46 E. 26 " "

79.95 To the post set for the cor. to Loc. 2, 3, 10, 11.

North Return Loc. 2 & 3. I. N^o 13 N.R. N^o 17.

2.50 To a Hickory 12 in. dia. It grows in the line.

38.80 To a Beech 15 " " " " " "

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 7 in. dia. bore N 34 W 35 miles west; to
Sycamore 12 " " " N 63 W. 33 1/2 " "

50.00 Entered a Swamp

52.10 To a Hickory 12 in. dia. It grows in the line.

55.00 Left Swamp

79.30 Intersected the N. Boundary 119 miles East of
the post set for the cor. to Loc. 34 & 35. I. N^o 14 N.
R. N^o 17. made set a post for the cor. to Loc. 2 & 3
from which a T.B. Ash 30 in. dia. bore S 33 E. 28 1/2
miles west; to a Hickory 6 " " " S 77 W. 14
" " " Land here was rich; Timber
Beech, Hickory, T.B. Ash, & Oak & Poplar,
22nd Sept. 1819

North Return Loc. 33 & 34. I. N^o 13. N.R. N^o 17.

T. N. 13 N.R. No 17. 2nd Mer.

- 8.40 Toa Brook 24 in. dia. It runs in the line
 35.60 " " " 24 " " " " "
 41.50 Set a post for the cor. to 1/4 sec. from which a
 Brook 9 in. dia. runs N 44 1/2 W. 15 miles dist; to
 Sugar 27 in. - S 26 1/2 E. 18 in. -
 41.00 Toa Brook 25 miles dist; hence S.W.
 49.00 " " Sugar 18 in. dia. It runs in the line.
 76.63 " " " 18 in. " " " " "
 81.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 from
 which a Brook 15 in. dia. runs S 69 W. 17 miles dist.
 under Logwood 3 in. - N 80 E. 11 in. -
 Lands very broken and thin; Timber Brook,
 Ash, Oak, 1/2 Oak, Sugar, Ironwood, & Log
 wood,

East On a Random line between Sec. 27 & 34. T. N. 13. N.R. No 17.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 57.50 Toa Brook - 1 mile dist; hence N.W.
 59.50 Toa Spring Brook hence N.W.
 71.00 Toa Brook 21 miles dist; hence N.W.
 81.79 Into section the East line or N. 15 W. 77 miles
 N of the post set for the cor. to Sec. 26, 27, 34 & 35
 Lands poor & broken; Timber Brook, W. 1/2
 Oak; Ironwood & Logwood; Sassafras
 & M. 9 Gum trees; &c.

West On the true line between Sec. 27 & 34. T. N. 13. N.R. No 17.

- 40.89p Set the temporary post at the aver dist; on the true
 line for the cor. to 1/4 sec. from which a
 Sugar 22 in. dia. runs N 12 W 17 miles dist; to
 Brook 18 in. - S 25 E. 22 in. -
 81.79 To the post set for the cor. to Sec. 27, 28, 33 & 34
 September 23rd 1819.

I. N^o 13. N.R. N^o 17. 2nd & 3rd Div. Ind. 1

- 44.09 $\frac{1}{2}$ Set the temporary post at the corner. Dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sycamore 24 in. dia bears N 32 E. 24 links dist; to No 27 a a a S 2 E. 10 a a
- 80.09 To the post set for the cor. to lat. 21. 22, 27, 28

North On the line between Sec. 21. & 22. I. N^o 13 N. R. N^o 17.

- 8.81 To a White Oak 6 in. dia. Stands on the line.
- 30.25 i " Quaking Asp. 18 in dia Stands on the line
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Elm 6 in. dia bears N 73 E. 10 links dist; to a Maple 6 a a a S 34 W. 10 a a
- 44.00 To a Quaking Asp 12 in. dia. Stands on the line
- 75.10 To a White Oak 12 in dia Stands on the line.
- 80.00 Set a post for the cor. to lat. 15. 16. 21. 22.
From which a Buck 12 in. dia bears N 9 E. 35 links dist; to White 10 a a a S 59 $\frac{1}{2}$ W. 5
a a Sande level and rich; Timber Buck, Sugar, Ash, Poplar, Maple and Oak
W. 9 Spruce and Hazle.

East On a random line between Sec. 15. & 22. I. N^o 13 N.R. N^o 17.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec
- 79.27 Intersect the N. & S line 66 links N. of the post set for the cor. to lat. 14. 15. 22. & 23.
Sande level and rich; Timber Sugar, Ash, Poplar, Walnut, and Cottonwood; Aspen, to W. 9 Spruce.

West On the true line between Sec. 15. & 22. I. N^o 13. N.R. N^o 17.

- 39.63 $\frac{1}{2}$ Set a post for the cor. to $\frac{1}{4}$ sec. at the corner dist; on the true line from which a Buck 11 in dia bears N. 6 W. 17 links dist; to

J. No 13. N.R. No 17. 2nd Mer. (Ina)

Buck 12 in. dia. base S 77.27 miles dist
79.27 To the first set for the cor. to sub. 15, 16, 21, 22
24th September 1819.

North Merion Sub. 15. & 16 J. No 13. N.R. No 17.

3.40 To a Buck 10 in. dia. Stands in the line.

35.00 " " do 12 " " " " " "

40.00 Set apart for the cor. to 14th sec. from which a
Hickory 21 in. dia. base S 81 E. 10 miles dist; to
Buck 5 " " " S 35 1/2 W 12 1/2 " "
See lands.

43.55 To a B. Oak 6 in. dia. Stands in the line.

73.23 " " " " " " " " " "

80.00 Set apart for the cor. to sub. 9, 10, 15, 16 from
which a B. Oak 6 in. dia. Stands S 87 1/2 E. 14 miles
dist; to B. Oak 5 " " " N 45 7/8 W. 11 " "
" Lands 1st 1/2 level with and goods.

2nd 1/2 level with; Timber on the 1st 1/2 Oak,
Oak and Poplar. Sugar, Buck; Timber
on the 2nd 1/2 Ash, Buck; W. Spruce & Maple

East On a Random line between Sub. 10. & 15 J. No
13. N.R. No 17.

40.00 Set a temporary post for the cor. to 14th sec.

79.25 Enter into the N. 13 line 13 miles S. of the post
set for the cor. to sub. 10, 11, 14, & 15.

Lands 1st 1/2 flat level and both rich and to
mo; Timber B. & G. Oak, B. & W. Oak, Buck,
and Hickory

West On the true line between Sub. 10. & 15 J. No 13.
N.R. No 17

39.62 1/2 Set the temporary post at the av. dist on the true line
for the cor. to 14th sec. from which a

Hickory 24 in. dia. base S. 52 1/2 W. 2 miles dist; to
B. Oak 27 " " " N 58 1/2 E. 19 " "

T. N. 13. N.R. N. 1 W. 2nd Sec. (In a)

79.25 To the first set for the cor. to sec. 10. 14 15 16.

North Between Sec. 9 & 10. T. N. 13. N.R. N. 1 W.

5.75 To a B. Oak 10 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Maple 8 in. dia. bears S 25 E. 18 miles dist; to
B. Oak 6 in. " " N 61 1/2 W 5 in. "

43.83 To a B. Oak 10 in. dia. Stands in the line.

72.39 To a Sycamore 30 in. " " " " " "

86.00 Set a post for the cor. to sec. 3. 4. 9. 10. T. N. 13.

N.R. N. 1 W. from which an

Elm 24 in. dia. Stands N 36 1/2 E. 4 1/2 miles dist; to

Beech 14 in. " " " N 50 W. 30 in. "

Land low. and flat. & very brushy; much of
various kinds. Similar Beech, Oak (B. & B.)
Shell bark Hickory, Elm, Sycam., Sycamore. &
Oak.

East On a Random line between Sec. 3 & 10. T. N. 13.
N.R. N. 1 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.73 In the center the N. & S. line at the post set for the
cor. to sec. 2, 3, 10. & 11. Land low and very wet
and very swampy. Similar Oak, Ash, Sugar
Beech, Sycamore, N. Y. Spruce and Oak Spruce.

West On the true line between Sec. 3 & 10. T. N. 13. N.
R. N. 1 W.

Set the temporary post at the cor. with on the true
line for the cor. to 1/4 sec. from which a

Beech 16 in. dia. bears N 59 E. 8 miles dist; to

Elm 13 in. " " " N 80 W. 22 in. "

79.73 To the post set for the cor. to sec. 3. 4. 9. & 10

North On the true line between Sec. 3. & 4. T. N. 13. N.

1.80 To a Sycamore 36 in. dia. Stands in the line.

T. N. 13 N.R. N. 177 2nd & 3rd Mer. Sec. a.

- 350 Left low lands; Entered dry lands;
 35.00 To a Brook 30 mi. via Stands in the line
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 36 in. dia Stands South 27 miles dist;
 Hick 10 " " " N 88 W. 6 " "
 41.25 To a Red Oak 36 in. dia Stands in the line
 79.44 Enter within the N. 1 Boundary of T. N. 12 N.
 R. N. 1 W. 81 miles East of the post set for
 the cor. to sec. 33. & 34, T. N. 14 N.R. N. 177.
 and set a post for the cor. to sec. 3 & 4 from which
 a S. Oak 36 in. dia. stands S 57 E. 22 miles dist;
 Oak 14 " " " S 39 W 32 " "
 Lands low and rich; Timber Oak, Ash, Walnuts,
 Birch & Hickory & Poplar,
 25th September 1819.

- North Section Sec. 32, 33, T. N. 13 N.R. N. 177.
 7.84 To a Sugar 18 in. dia Stands in the line.
 20.30 To a Brook 25 miles wide; corner E.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Poplar 30 in. dia Stands in the N 48 E 8 miles dist;
 Birch 3 " " " N 43 1/2 W 14 1/2 " "
 67.24 To a Sugar 17 in. dia Stands in the line.
 74.98 To a " 15 " " " " " "
 80.00 Set a post for the cor. to sec. 28, 29, 32, & 33,
 from which Sugar 8 in dia Stands N 66 E. 17
 miles dist; to a Brook 14 " " " S 89 E 23
 " " " " " " " " " " " "
 Lands broken and dry soil;
 Timber Birch, Hickory, Sugar, Poplar, and
 W Oak, 22nd September 1819

- East On a Random line between Sec. 28. & 33 T. N.
 13 N.R. N. 177
 27.50 To a Brook 1 mile wide; corner SE.
 40.00 Set a post for the cor. to 1/4 sec
 46.50 To a Brook 3 miles wide; corner N.W.

445

T. No 13. N.R. No 17. 2nd Mer. (Ind.?)

80.05 Intersected the N.S. line 94 miles N. of the post set for the cor. to lat. 27, 28, 33, & 34. Sand broken 2nd rate; Limbo Bush, Sugar, Poplar, maple, W. Oak, &c

West On the true line between Lat. 28, & 33. T. No 13. N.R. No 17.

40.27 Set the temporary post at the above dist; on the true line for the cor. to 1/4 sec. from which a Bush 2 in. dia bears S 76 E 11 miles dist; &c
Do 20 " " " N 82 W 29 " "

80.05 To the post set for the cor. to lat. 28, 29, 32 & 33.

North Between Lat. 28 & 29. T. No 13. N.R. No 17.

10.77 To a Bush 18 in. dia stands in the line.

40.00 Set a post for the cor. to 1/4 sec from which a Bush 12 in. dia bears N 54 E. 25 1/2 miles dist; &c
Do 5 " " " N 24 W. 13 1/2 " "

45.50 To a Bush 20 in. dia stands in the line.

73.50 " " " 36 " " " " " "

80.10 Set a post for the cor. to lat. 28, 29, 20, & 21. from which a B. Oak bears S 20 E 14 1/2 miles dist; &c
maple B. Oak, 24 in. dia bears N 66 E. 23 1/2 miles dist; Sand broken 2nd rate; Limbo Bush, B. Oak, Poplar, & W. Oak,

East On a Random line between Lat. 21. & 28 T. No 13. N.R. No 17

40.00 Set a temporary post at the above dist make for the cor. to 1/4 sec

80.42 Intersected the N.P.S. line 118 miles N. of the post set for the cor. to lat. 21, 22, 27, & 28. Sand broken 2nd rate; Limbo, Bush, Sugar, W. Oak, Poplar, B. Oak, maple & Hickory.

a West On the true line between Lat. 21. & 28. T. No 13. N.

T. N. 13 N.R. N. 17. 2nd Mer. (S. & G.)

N. N. 17.

- 40.21 Set the temporary post at the aver dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sugar 2 mi. dia. bears N. 67 W. 10 miles dist; to Buck 18 " " " S 33 E. 20 " "
- 80.43 To the post set for the cor. to Sec. 28, 29, 20. & 21

North Between Sec. 20. & 21. T. N. 13. N.R. N. 17.

- 00.67 To a sassafras 12 mi. dia. bears in the line.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Hickory 4 mi. dia. bears S 65 E 10 miles dist; to Do 8 " " " N 82 W 16 $\frac{1}{2}$ " "
- 68.94 To a W. Oak 14 mi. dia. stands in the line.
- 80.00 Set a post for the cor. to Sec. 16, 17, 20. & 21. T. N. 13. N.R. N. 17. from which a Buck 5 mi. dia. bears N 27 W. 9 miles dist; to Sugar 14 " " " S 15 $\frac{1}{2}$ W 27 $\frac{1}{2}$ " "
- Sando hick and do (2nd row; Timber Buck W. Oak and do Poplar.
- 26.30 To a Spring; Cane W.

East On a Random line between Sec. 16. & 21. T. N. 13. N.R. N. 17

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.50 Intro set on the N. & S line 71 miles North of the post set for the cor. to Sec. 15, 16, 21. & 22. Cane hick; Timber Buck, Sugar, W. Oak, Poplar, & W. Oak, September 24th 1819.

West On the true line between Sec. 21. & 16. T. N. 13 N. N. N. 17

- 40.25 Set the temporary post for the cor. to $\frac{1}{4}$ sec at the aver. dist; on the true line. from which a Buck 12 mi. dia. bears N 87 W. 16 $\frac{1}{2}$ miles dist; to Do 14 " " " N 77 E. 14 " "
- 80.50 To the post set for the cor. to Sec. 16, 17, 20. & 21.

T. N^o 13. N.H. N^o 177. Grade Mer. (Ind. ^e)

North Between Sec. 16 & 17. T. N^o 13. N.H. N^o 177.

26.76 To a W. Hick 16 in. dia. Stands in the line.

32.50 Enter the Swamp.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 6 in. dia. bears N 86 E. 8 miles dist; to
N.B. Oak 12 in. - N 56 E 24 in. -

44.00 Left the Swamp.

51.77 To a Buck 10 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 8. 9. 16. 17. from
which a Sugar 14 in. dia. bears N 81 W. 16 miles
dist; to Do 13 in. - East 38 in. -
- Sandalwood and oak; Timber Buck Sugar
or Poplar, & Hick & also Swamp Oak.

East On a Meridian line between Sec. 9. & 16. T. N^o 13.
N.H. N^o 177.

44.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

81.34 $\frac{1}{2}$ Introduce the N. & S. line $\frac{1}{4}$ miles N. of the
post set for the cor. to Sec. 9. 11. 15. & 16
Sandalwood and oak; Timber Buck, Poplar,
Red Elm, & B. Oak.

West On the true line between Sec. 9. & 16. T. N^o 13.
N.H. N^o 177.

40.17 $\frac{1}{2}$ Set the temporary post at the av. dist. on the true
line for the cor. to $\frac{1}{4}$ sec. from which a
B. Oak 14 in. dia. bears N 35 E. 20 $\frac{1}{2}$ miles dist;
W. Hick 10 in. - N 88 W. 42 $\frac{1}{2}$ in. -

80.34 $\frac{1}{2}$ To the post set for the cor. to Sec. 8. 9. 16. 17.

North Between Sec. 8. & 9. T. N^o 13. N.H. N^o 177.

2.00 To a Sugar 20 in. dia. Stands in the line.

38.27 To a Buck 13 in. - - - - -

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 20 in. dia. bears S 22 E. 8 miles dist; to
Do 15 in. - N 17 $\frac{1}{2}$ E. 15 in. -

T. N. 13. N. R. N. 17. 2nd Mer. Ind. a

41.50 To a Beech 15 in. dia. bears in the line.
 71.00 Entered a Swamp
 80.00 Set a post in Swamp. For the cor. to Sect. 4, 5, 8.
 of from which a W. Oak, 3 in. dia. stands
 S 46° E 21 1/2 miles dist; & Redo Elm 18 in. dia
 bears N. 84° W. 13 miles dist; Sande wood Swamp
 of 10 Junco Beech, Redo Elm, W. Oak, &
 Poplar.

East On a Random line between Sect. 4. & 9 T. N. 13.
 N. R. N. 17.

40.00 Set a temporary post for the cor. to 1/4 sec
 81.28 Intersected the N. 18 line 150 miles N. of the post
 set for the cor. to Sect. 3, 4, 9, 10. Sande wood and
 oak; Junco Beech, Poplar, W. Oak, Hickory
 and B. Oak.

West On the true line between Sect. 4. & 9. T. N. 13. N.
 R. N. 17.

40.14 Set the temporary post at the corner with on the true line
 for the cor. to 1/4 sec. From which a
 Pecan 8 in. dia. bears N 26° E. 5 miles dist; &
 Beech 4 " " " S 7° E. 7 1/2 " "
 80.28 To the post set for the cor. to Sect. 4, 5, 8, 9.

North Section Sect. 4 to 5 T. N. 13. N. R. N. 17.

3.24 To a Maple 10 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Pecan 12 in. dia. bears N 28° E. 24 1/2 miles dist;
 Beech 14 " " " S 29° W 14 1/2 " "
 62.40 To an Elm 15 in. dia. stands in the line
 72.85 " " " " " " " " " "
 77.90 Intersected the N. Boundary at the post set for the
 cor. to Sect. 32, & 33. T. N. 14. N. R. N. 17 from
 which a Beech 18 in. dia. bears S 68° W 27 1/2 miles
 dist; & also 30 " " " N 65° E 15 "

T. N. 13. N.R. N. 17. 2nd Mer. (Ind. 2)

Sand bed made rich; Timber Beech, Poplar,
W. Oak, B. Ash, &c 25th Septemb. 1819

- North Between Sep. 31 & 32. T. N. 13. N.R. N. 17.
34.06 To a Beech 18 mi. dia. stands in the line.
39.20 To a B. Ash 7 1/2 " " " "
40.00 Set a post for the cor. to 1/4 sec. from which a
B. Ash 12 mi. dia. bears S 22 W. 15 1/2 mile distant
B. Ash 14 " " " S 23 E 10 " "
40.45 To an Elm 24 mi. dia. stands in the line.
72.10 To a Pecan 6 mi. dia. " " " "
81.00 Set a post for the cor. to sec. 29, 30, 31, & 32 from
which a W. Oak 21 mi. dia. bears N 6 E. 14 mile distant
and a Beech 4 " " " N 53 E. 19 1/2 " "
Sand bed made 2nd rate Timber Beech, Sugar
W. Oak, Poplar & Hickory

- East On a random line between Sep. 29 & 32. T. N. 13.
N.R. N. 17.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.75 Intersect the N. 53 line 115 miles N. of the post
set for the cor. to sec. 28, 29, 30, & 32.
Sand bed made 2nd rate; Timber Beech, Sugar,
Poplar, & White Oak,

- West On the true line between Sep. 29 & 32. T. N. 13.
N.R. N. 17.
39.87 1/2 Set the temporary post at the cor. west on the true
line for the cor. to 1/4 sec. from which a
Beech 14 mi. dia. bears N 87 E. 7 1/2 mile distant;
Do 12 " " " S 52 W. 1 " "
79.75 To the post set for the cor. to sec. 29, 30, 31 & 32.

- North Between Sep. 29 & 30. T. N. 13. N.R. N. 17.
16.67 To a Beech 12 mi. dia. bears in the line
40.00 Set a post for the cor. to 1/4 sec. from which a

T. N. 13. N.R. N. 17. 2nd Mer. (Ind. a)

which; and on W. Oak 10 in. dia bears N 86 W. 29
links dist; Sande had made rich; Timber Tree,
Hottonwood, B. Oak, & Sycamore.

East On a Runway line between Sep 17. & 21 *T. N. 13.*
N.R. N. 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.81 Intersect a the East Runway or N. & S line 18th
North of the post set for the cor. to Sec. 16. 17.
20. & 21. Sande had made 2nd rate; Timber Tree
Poplar W. Oak, & R. Oak,

West On the true line between Sep. 17. & 20. *T. N. 13.*
N.R. N. 17.

39.90 1/2 Set the temporary post at the corner dist on the true
line for the cor. to 1/4 sec. from which a
Tree 15 in. dia bears N 87 E. 6 1/2 links dist; to
Dogwood 3 " " " N 39 W. 27 " "

79.81 Set the post set for the cor. to Sec. 17. 18. 19. 20.

North Between Sep 17. & 18. *T. N. 13. N.R. N. 17.*

10.32 To a Tree 24 in. dia stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which can
Elm 10 in. dia. bears N 56 E. 19 links dist; to
W. Tree 3 " " " N 43 E 3 1/2 " "

48.35 To a Maple 21 in. dia stands in the line.

76.96 To a Tree 12 in. dia bears in the line

80.00 Set a post for the cor. to Sec. 7. 8. 17. & 18. from
which a B. Oak 3 in. dia bears N 8 E. 23 links dist;
and a W. Tree 4 " " " N 64 E 19 " "
Sande had made rich and temporary Timber Tree,
Hickory, Walnut, Tree & Red Oak & Poplar.

East On a Runway line between Sep. 8. & 17 *T. N. 13. N.*
N. N. 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

T. N. 13. N.R. N. 17. 2nd do Mar. (Ind. 2)

79.73 Intersected the N. & S. line 50 links N. of the first set
for the cor. to Bal. 8. 9. 16. 17. Sands level and some
drainage; good rich; Timber Beech, Poplar, W.
Oak, Sugar, B. Ash, & Hick

Nest On the true line between Bal. 8. & 17. T. N. 13. N.
R. N. 17.

39.86½ Set a trap, & post at the av. dish; on the true
line for the cor. to 14 sec. from which
Red Elm 12 in. dia. base of 26½ ft. N. 10 links dish; to
Red Oak 4 in. " " N 25 W. 14½ in. "

79.73 To the first set for the cor. to Bal. 7. 8. 17. & 18.
28th September 18. 19.

North Between Bal. 7. & 8. T. N. 13. N. R. N. 17.

16.73 To a Hick 24 in. dia. base on the line.

31.63 " " Walnut 9 in. " " " "

40.00 Set a post for the cor. to 14 sec. from which
Beech 16 in. dia. base of 44½ ft. E 10 links dish; to
do 13 in. " " of 19½ ft. N. 16 in. "

46.75 To an R. Elm 20 in. dia. 11 in. on the line.

74.44 To a Beech 12 in. " " " "

80.00 Set a post for the cor. to Bal. 5. 6. 7. 8. from which
an Elm 12 in. dia. base of 27 ft. 21½ links dish; to
W. Beech 3 in. " " of 51½ ft. N. 10 in. "
Sands level and 2nd rate; Timber Beech, Pop-
lar and Beech, B. Ash, & W. Oak, & Hick

East On a Random line between Bal. 5. & 8. T. N. 13. N.
R. N. 17.

40.00 Set a trap, & post for the cor. to 14 sec.

79.50 Intersected the N. & S. line 6 links North of the first
set for the cor. to Bal. 4. 5. 8. 9. Sands 18½ ft. 2nd
rate; and 2nd ft. swampy rich &c. Timber Beech
Elm, Hick, & Poplar.

T. N. R. No. 13. N. R. No. 17. J. & M. (S. & C.)

- West On the true line between Lat. 5. & 8 T. No. 13. N. R. No. 17.
 39.75 Set the temporary post at the arr. dist on the true line.
 For the cor. to 74 Sec. from which a
 Heick 8 mi. dist bears N 33 W. 22 miles dist; to
 Engon 4 " " " N 60 E. 22 1/2 " "
 79.50 Set the post out for the cor. to Lat. 5. 6. 7. 8.

- North Between Lat. 5. & 6. T. No. 13. N. R. No. 17.
 1.22 To a Red Oak 24 mi. dist. Stands in the line.
 40.50 Set a post for the cor. to 74 Sec. from which a
 Buck 12 mi. dist. bears N 87 E. 31 miles dist; to
 Do 10 " " " S 31 1/2 W. 29 " "
 46.50 To a Hick 30 mi. dist. Stands in the line.
 61.74 To a Honey Locust 24 mi. dist. Stands in the line.
 78.29 1/2 Enter into the N. Boundary 133 miles dist; East
 of the cor. to Lat. 31. & 32. T. No. 14. N. R. No. 17.
 and set apart for the cor. to Lat. 5 & 6 from which
 a Buck 14 mi. dist. bears N 34 E. 26 1/2 miles dist; to
 Engon 20 " " " S 12 1/2 E. 61 " "
 Land had under 2nd rate; Timber Buck, Poplar,
 W. Oak, & R. Oak, & Hick 27th Sept. 1819.

- West Between Lat. 6 & 7. T. No. 13. N. R. No. 17.
 5.01 To a Buck 20 mi. dist. Stands in the line.
 40.00 Set a post for the cor. to 74 Sec. from which a
 Buck 31 mi. dist. bears N 6 E. 3 miles dist; to
 Do 7 " " " S 6 W 1 1/2 " "
 57.89 To a Buck 12 mi. dist. bears in the line.
 69.25 Enter into the N. Boundary of T. No. 13. N. R. No. 17.
 104 1/2 miles dist from the post set for the cor. to Lat.
 1 & 12 T. No. 13. N. R. No. 17. and set a post for
 the cor. to Lat. 6 & 7. from which a
 Buck 13 mi. dist. bears N 76 W. 47 miles dist; to
 Do 14 " " " S 66 E. 26 " "
 Land had under 2nd rate; Timber Buck, Poplar, W. Oak

T. N^o 13. N. R. N^o 1 W. 2nd Q. Mer. (Ind^{ed})
 & Hick. 28th September 28th 1819.

Nest Between lat. 7. & 18. T. N^o 13. N. R. N^o 1 W.
 6.84 To a Hick 20 m. dia. It stands in the line.
 34.25 " " Oak 22 " " " " " "
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Tree 5 m. dia. bears S 54 E. 36 m. dia. dist; to
 Do 12 " " " N. 77 W. 18 " "
 45.85 To a Swamp Oak 6 m. dia. It stands in the line.
 69.14 Enter between the N. Boundary 79 m. dia. dist. North
 of the first set for the cor. to lat. 12. & 13. T. N^o
 13. N. R. N^o 2 W. and set a post for the cor. to
 lat. 7. & 18 from which a
 Tree 24 m. dia. bears S 5 E 14 m. dia. dist; to
 Do 11 " " " N 40 W 25 " "
 Small oak; Timber Oak, Tree, Sugar
 Poplar & Maple.

Nest Between lat. 18. & 19. T. N^o 13. N. R. N^o 1 W.
 10.25 To a Tree 10 m. dia. It stands in the line.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Red Oak 14 m. dia. bears N 33 E. 22 1/4 m. dia. dist
 Red Oak 3 " " " S 25 E. 18 " "
 48.73 To a W. Oak 8 m. dia. It stands in the line.
 62.72 " " Oak 24 " " " " " "
 68.79 Enter between the N. Boundary of T. N^o 13. N. R. N^o 1 W.
 34 1/2 m. dia. dist. of the first cor. to lat. 24. & 13
 from which a Tree 14 m. dia. bears N 54 E. 3 1/2
 m. dia. dist; to Do 95 " " " S 6 1/2 W 20
 " " " " " " " " " "
 Lands divided into 2nd rate;
 Timber Tree, Sugar, Oak, Poplar & Oak

Nest Between lat. 19. & 30 T. N^o 13. N. R. N^o 1 W.
 10.34 To a Spruce 20 m. dia. It stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 7 m. dia. bears N 73 W 14 1/2 m. dia. dist;
 Spruce 30 " " " S 63 E. 19 " "

T. N^o 13. N.R. N^o 17. 2nd Mer. (Ind. a.)

69.05 Introduced the N. Boundary of T. N^o 13. N.R. N^o 17.
24 links N. of the first set for the cor. to set 25. & 24
T. N^o 13. N.R. N^o 17. and set a post for the
cor. to set 19. & 30. from which a
Bench 18 in. dia. bears N. 9 E 18 links dist; & a
Bench 7 " " " N 87 W 24 " "
Sand-hed and 2nd Mer. rich; Timber Sugar, Beech
Hickory Poplar & W. Oak, 28th Sept. 1819.

West Return Dec. 30. & 31 T. N^o 13. N.R. N^o 17.
3.25 To a Swamp Ash 12 in. dia. stands in the view
40.00 Set a post for the cor. to 1/4 sec. from which a
Bench 18 in. dia. bears N 19 E. 35 links dist; & a
do 20 " " " South 27 1/2 " "
68.80 Introduced the N. Boundary of T. N^o 13. N.R. N^o
17. 42 links N. of the first set for the cor. to set
25. 136 T. N^o 13. N.R. N^o 27. and set a post
for the cor. to set 31. & 31 from which a
Red Elm 20 in. dia. bears N 77 E. 25 links dist.
B. Ash 12 " " " N 65 W 5 1/4 " "
Sand-hed Swampy and rich; Timber Beech,
Poplar Elm & B. Ash. 28th Sept. 1819

Surveyed by
John Milroy
Deputy Surveyor.

I certify that the foregoing transcript of the
field notes of Township N^o 13 North, Range
N^o 1 West has been compared with the original
notes in this Office and found to be cor-
rect;

Surveyor General's Office
Cincinnati Dec. 12. 1839

E. S. Cairns
Sur. Genl.